

HYFRA Gamma

Powerful, easily integrated immersion chillers for water, oil and emulsions



Easily integrated. Customized. Powerful.

The HYFRA Gamma series is easy to integrate into machines and production layouts. With cooling capacities of 5 to 160 kW, the HYFRA Gamma models are perfect for a range of filtration and mechanical engineering applications.

HYFRA Gamma immersion chillers

immersion chillers for water, oil and emulsions. As plug & play solutions, they cover a wide power range of 5 to 160 kW.

Power levels of up to 28 kW are possible on bases of only 0.5 m² - thanks to the compact design. This results in significant flexibility advantages when planning production area layouts and boosts productivity since facilities can accommodate more machines. Thanks to their horizontally installed compressors, the compact HYFRA Gamma models also significantly reduce heat build-up. The internal components are unaffected by waste heat.

The HYFRA Gamma series consists of fully integrable All the models in the series contain a robust agitator, ensuring a uniform medium temperature in the lubricant tank. The HYFRA Gamma series is equipped with fixed crane lugs so the devices can easily be lifted out of the tank for cleaning at regular intervals.

> FleXX technology for demand-based operation and 70 % refrigerant savings with microchannel

> Thanks to sector-leading HYFRA microchannel technology, these devices use up to 70 % less refrigerant in comparison to conventional chillers. HYFRA Gamma models are also available with the innovative HYFRA FleXX technology that ensures energy-efficient, extremely precise operation with demand-based controls.



Key data: Immersion chillers HYFRA Gamma

Over Power Power Power

5 – 160 kW

Medium:

Water, oil and emulsion

Solution Footprint: 5 - 28 kW on footprint of 0.5 m²; Up to 80 kW power in only 1 m²

Optimized: Equipped with HYFRA FleXX technology and various control options

Application: Filtration and mechanical engineering **HYFRA Gamma series**

Improved flexibility through intelligent controls

HYFRA FleXX technology

With its FleXX technology, HYFRA is reacting to the various
The chillers in the HYFRA Gamma series are equipped market requirements of machine manufacturers and with FreeSmart controllers – and as of cooling capacity of operators.

technology ensures a decisive competitive advantage. Due to the demand-based operation of various com- face for quickly reading out operating data. ponents, chillers with FleXX technology are not only highly energy-efficient, economical, and quiet; they also operate FreeEvolution is available in three design variants: basic, with very little wear, greatly reducing life cycle costs.

Optional controllers

210 kW, they come with FreeEvolution controllers. The two variants are freely programmable and have both Thanks to its high level of flexibility and adaptability, the analog and digital inputs and outputs, an external display (FreeEvolution) and an FDO (fast digital output) inter-

> professional and expert. For example, they offer menu navigation in multiple languages or remote maintenance linkup. Of course we can flexibly integrate special customer requirements into each of the variants.

HYFRA chillers in comparison

		HYFRA Alpha	HYFRA Gamma	HYFRA Sigma	HYFRA eChilly		
			Circulating chillers	Immersion chillers	Recooling systems	Recooling systems	
K	Reduced fo	ootprint	✓	✓	✓		
Z Z	Compact version		✓		✓		
7	FleXX technology		✓	✓	✓		
		Water	✓	/	✓	✓	
	Medium	Oil	✓	✓			
		Emulsion	✓	✓			
***	Cooling capacity		5 – 80 kW	5 – 160 kW	5 – 320 kW	1 – 6 kW	

Technical data: HYFRA Gamma

HYFRA Gamma model no. (kW)			5	13	22	34	52	80		
Performance data										
Ambient °C	Refrigerant °C		Cooling consider IVM							
Ambient C	Emulsion	Oil	Cooling capacity kW							
	10	15	3.6	10.1	17.6	26.4	39.6	64.3		
32	10	20	4.4	11.9	20.7	30.6	46.2	75.5		
	20	25	4.9	13.0	22.4	34.2	52.5	84.5		

Technical Data									
Refrigerant		R134a	R410A						
Max. power consumption (emulsion)	kW	2.0	5.8	8.4	12.5	18.4	28.9		
Max. power consumption (oil)	kW	3.0	3.0						
Max. airflow rate m		4500			5500	10000	15500		

Maße und Gewicht									
Length	mm	785			1000				
Width	mm	785			1000				
Height	mm	1320	0 1420		2940				
Empty weight	kg	170	19	0	250	310	370	480	

For detailed technical data, see: www.hyfra.com

We are HYFRA

HYFRA is your partner for customized process cooling. Our program ranges from plug & play compact devices to customized systems with extensive service options.



The name HYFRA stands for long-term, sustainable partnership. We want to offer our customers the best solutions for process cooling. With each consultation, with each action, with each system we deliver and commission, and with our 24/7 service promise, we support our customers' efforts to be successful for the long term.

Made in Germany since 1981

Our highly efficient cooling systems and air heat exchangers are key for reliably safeguarding processes. With over 35 years of experience, highly qualified employees and our own production facilities at our location in Krunkel, Rhineland-Palatinate, HYFRA systems provide premium quality "Made in Germany."

Worldwide service availability

Whether its remote diagnostics via data transmission or on-site repairs, HYFRA Service is available worldwide and always finds the solution to malfunctions quickly. In addition, we provide customer support for regular maintenance and repair. Qualified service teams will install the entire HYFRA cooling system if necessary.

Customized service solutions for all requirements



Turnkey Solutions

Depend on reliability and leave the project management to our experienced experts – from system planning to acceptance. We will take on the responsibility for material procurement for system construction of failure, our own service team and our local partner's experienced and carry out all of the installation work with our technicians. With cooling system technician will find a quick solution. We will provide our help, you will have an operational cooling system from a single



measures at any time.

Repair & Maintenance

Optimal operation and maintenance enable a cooling system to We can customize HYFRA standard models to satisfy your detailed

Modification & Customization

HYFRA Service is available worldwide so we can guarantee 100%

system availability as soon as possible if a malfunction occurs. In case

you with transparent information on the costs and duration of service



Training

develop its full potential and work perfectly at all times. We provide requirements. A variety of equipment and control options are available. customized training for your operating personnel and maintenance As required, we will also provide a modification kit if your conditions technicians. We will thoroughly train them to use our systems properly so that your company reaps the long-term benefits of perfect production results.



Maintenance & Service

In order to deliver top performance continuously, cooling systems must be serviced regularly. This also helps effectively avoid expensive repairs and unexpected production downtime. And maintenance measures can significantly extend your system's life cycle. At HYFRA, you can select one of several service packages with one-year terms. They include maintenance and services such as start up and training sessions as well

The HYFRA Service promise

Expert

thoroughly qualified and regularly attend training sessions.

☑ Efficient

⊠ Reliable



HYFRA is one of the most experienced suppliers of customized process cooling solutions. We cover the entire range of industrial process cooling solutions from plug & play compact machines to individually developed systems with extensive services. Our highly efficient, reliable machines are the key to our customers' success.

As a LENNOX International company, we help mechanical engineers in more than 50 countries to continually set new standards of performance.

HYFRA Industriekühlanlagen GmbH Industriepark 54 56593 Krunkel, Germany +49 2687 898-0 info@hyfra.com

